

PW4NX

Print more with the PW4NX mobile printer due to its large roll capacity, wider print width and linerless capability. The printer will endure up to a 2.14m drop to concrete maximising uptime, making it the most rugged 4-inch mobile printer in the market



Vertical Applications



Manufacturing: Small components, electronics, automotive, compliance, product ID, serial numbering, shipping & receiving



Retail: Price labels/tags, shelf edge labels, warehousing, receiving, shipping labels, packaging slips



Logistics / Transportation: Shipping labels, parcel routing, reverse logistics, cross-docking, 3PL

Emulations

Our extensive library of the 6 most popular languages has helped many customers consolidate on a single model while not changing any backend code reducing the integration costs.

- Limited code changes existing systems with emulations
- Single model supports multiple host systems
- Six printer languages preinstalled
- Easy integration with existing host systems

SATO
SBPL

ZEBRA
SZPL, SCPL

Intermec
SIPL

TOSHIBA
STPCL

datamax o'neil
SDPL

HONEYWELL
SFPL



PW4NX Accessories



ACCESSORIES



Lithium ION Battery
WWPW4510N

PW4NX series only.
Guideline for replacement is after about 300 charge/ discharge cycles.
Spec: 14.4V at 2500 mAh (36.00 Wh)



Printer Stand
WWPW45C0N

Compact stand option for use in limited space.
Great for use with fanfold labels.



1 Ch Battery Charger
WWPW4520N

A battery charger capable of charging 1 battery. Equipped with the Eco Charge function and also comes with an AC adapter.
Input: DC19V 2.37A / **Output:** 16.8 1.25A
AC/DC adapter included



4 Ch Battery Charger
WWPW4530N

A charger capable of charging up to 4 batteries. Equipped with the Eco Charge function and also comes with an AC adapter.
Input: DC19V 4.74A / **Output:** 0.85A (x4)
AC/DC adapter included



Direct AC-DC power to printer
WWPW4540N

Adapter for charging the battery attached to the printer.
Input: AC100-240V , 1.5A / **Output:** DC19V 2.3A



1 Bay Cradle
WWPW4500N

Cradle in which the product is placed for charging. Allows you to easily load fan-fold media. Also includes an AC adapter.
Input: AC100-240V , 1.5A / **Output:** DC19V 2.3A
Can be adapted: Universal AMPS hole pattern

PORTABLE ACCESSORIES

	Soft Carrying Case WWPW4570N	An option for using the product hands-free. Also includes a shoulder strap
	Shoulder Strap WWPW45B0N	Adjustable and durable shoulder strap, providing comfortable hands-free carrying for enhanced mobility and convenience.
	Belt Loop WWPW4590N	An option for using the product hands-free.
	Hand Strap WWPW4580N	An option for easily carrying the product.

MOBILITY ACCESSORIES

	Battery Eliminator WWPW45F0N	The PW4NX Battery Eliminator can be used to power the PW4NX printer directly from a DC supply source, such as a forklift, without the need of a mobile printer battery installed. Input: DC12V to 50V / Output: DC16V, 2.5 A WWPW4510N Battery is then not needed.
	DC-DC Adapter WWPW4550N	A device for charging the product by connecting directly to a DC power supply, such as the customer's battery. Input: DC12V – 60V 5.0 A / Output: DC19V, 2.3A
	Cigarette Adapter WWPW4560N	An adapter for charging the product from a cigarette lighter socket in a car or truck. Input: DC12V – 60V 5.0 A / Output: DC19V, 2.3A

MOUNT ACCESSORIES

	RAM Double Ball Mount with Two Round Plates - C Size Medium RAM-101U	6 inch C size 1.5" double socket arm and two 2.5" diameter round ball bases that contain the universal AMPS hole pattern. Provides shock and vibration damping, and allows for adjustability and operating angle
	Brodit Standard Duty Pedestal Mount 202038	Standard duty Pedestal Mount. Total length: 153 mm. With ball head and wingnut. Mounting plate 42x50 mm with 4 mm AMPS-holes. Loading weight 3 kg.
	Zirkona Stand Mount 7160-1240-01	Zirkona Medium Stand. All metal construction (anodised aluminium). Supports AMPS hole pattern
	Joint Plate (SATO design) WWPW45G0N	Stainless Steel Metal Adapter for RAM and BRODIT Components (AMPS standard) Recommended to be used with: Battery Eliminator WWPW45F0N
	Mobile Printer Holder Y58199232104 Y58199232146	A robust, modular solution designed for securely mounting the PW4NX mobile printer in industrial or logistics environments. Including 3" and 1.5" roll adapter. Recommended to be used with: Battery Eliminator WWPW45F0N